



Professional PC

Preisliste
gültig ab 01. Mai 2019








Legende Statussymbole

😊	Neu
↔	Preis gleichgeblieben
↘	Preis gesunken
↗	Preis gestiegen
🕒 ↔	Phase out (Preis gleichgeblieben)
🕒 ↘	Phase out (Preis gesunken)
🕒 ↗	Phase out (Preis gestiegen)

Angebot freibleibend. Irrtum, technische Änderungen, Änderungen der Ausstattung und Modelle in der gesamten Preisliste vorbehalten.

Anmerkungen

1. Diese Preisliste ersetzt alle vorhergehenden Preislisten.
2. Alle angeführten Preise sind als unverbindliche Preisempfehlungen zu verstehen. Die Preise sind in Schweizer Franken.
3. Der Verkaufspreis ist inkl. 7.7% MwSt, inkl. VRG.; alle anderen Preise sind exkl. MwSt., inkl. VRG.
4. Preisänderungen, Modelländerungen und Irrtümer vorbehalten.
5. DBP ist inkl. Zoll und Versicherung.
6. Sämtliche Preise sind zzgl. Transportkosten.
7. Die Ware bleibt bis zur vollständigen Bezahlung im Eigentum der Firma Acer Computer (Switzerland) AG.
8. Die aufgeführten Preise sind offizielle Preise und sind solange gültig bis von der Firma Acer eine schriftliche Änderung oder eine neue Preisliste erscheint.
9. Gerichtsstand ist Zürich.
10. Garantiebedingungen laut AcerAdvantage Datenblatt.
11. Diese Preisliste ist vertraulich und nur für interne Verwendungszwecke.
12. Ansonsten gelten die lt. Distributionsvertrag vereinbarten Liefer- und Zahlungskonditionen.
13. Vorgezogene Recyclinggebühren: <http://www.swicorecycling.ch>

		
		
Modellbezeichnung	Veriton S4660G	Veriton X4660G
Formfaktor	15 Liter - SFF	9 Liter - xSFF
Artikelnummer	DT.VQZEZ.001	DT.VROEZ.002
EAN	4713883953320	4713883885218
empf. VP (exkl. MwSt.)	CHF 816.16	CHF 834.73
empf. VP (inkl. MwSt.)	CHF 879.00	CHF 899.00
		

Allgemein	CPU	Intel® Core™ i5-8400 Prozessor (9 MB Cache, bis zu 4,00 GHz) Intel® Turbo Boost Technology 2.0	Intel® Core™ i5-8400 Prozessor (9 MB Cache, bis zu 4,00 GHz) Intel® Turbo Boost Technology 2.0
	Chipsatz	Intel® B360 Express Chipset	Intel® B360 Express Chipset
	Betriebssystem	Windows® 10 Professional	Windows® 10 Professional
	Grafikkarte	Intel® HD Graphics 630	Intel® HD Graphics 630
	Grafikspeicher	-	-
	RAM	8 GB DDR4 2666 MHz UDIMM	8GB DDR4
	Festplatte	128 GB M.2 PCI-E SSD + 1TB 3.5 inch 7200rpm SATA III 4K	256GB SSD 2.5" Flash Disk
	Optisches Laufwerk	8X DVD-RW drive, 9,0 mm slim, tray-load, M-DISC Ready™	8X DVD-Writer SATA
	Tastatur	USB Professional	USB/Pro1 KB
	Maus	USB black	USB_black_common_A
	Audio	Integrated high-definition, 5.1-channel surround sound	Stereo (5.1 capable)
	Cardreader	-	-
	Additional Card	-	-
	Additional Card	-	-
	LAN	Gigabit Ethernet	INT9560.NG.WG.NV
	Sonstiges 1	802.11ac/a/b/g/n, aggregate bandwidth up to 1.73 Gbps, Bluetooth® 5.0	Wlan M.2 Main& AUX Antenna for 10L
	Sonstiges 2	Dust filter	Dust filter_U chassis
Abmessungen	160 (W) x 309.25 (D) x 350(H)	102 (W) x 305.80 (D) x 330(H)	
Gewicht	ca. 5 kg	ca. 5 kg	
Netzteil	180 W PFC, auto-sensing, 80PLUS Bronze	FR 180W_12V(TFX) 82+	
Formfaktor	Micro-ATX front IO onboard	Micro-ATX front IO onboard	

DVI Ausgang	0	0
HDMI Ausgang / Displayport	1 (HDMI: 4096*2160 @24Hz (support 2560*1440 @60Hz))	1 (HDMI: 4096*2160 @24Hz (support 2560*1440 @60Hz))
Displayport	2 (DP: 4096*2160 @24Hz)	2
Dsub Port	1 (VGA: 1920*1080 @60Hz)	1 (VGA: 1920*1080 @60Hz)
USB vorne	2 USB 3.1 Gen 2 Type C 2 USB 3.1 Gen 2 Type A 2 USB 3.1 Gen 1 Type A	6(2 USB 3.1 Gen 2 Type C+2 USB 3.1 Gen 2 Type A+2 USB 3.1 Gen 1 Type A)
USB hinten	4 USB 2.0 Type A	4 USB 2.0 Type A
Number of Serial Ports (COM1)	1	1
Number of PS2 ports	2	2
Parallelport	Support by Printer Port Cable	Support by Printer Port Cable
RJ45	1	1
Audio-Anschlüsse vorne	2	2
Audio-Anschlüsse hinten	3	3
PCIe x16 Slot	1 x PCIe16 (3.0 version) 1 xPCIEx16 (3.0 version) wired 4x	1 x PCIe16 (3.0 version) 1 xPCIEx16 (3.0 version) wired 4x
PCIe x1 Slot	1 (3.0 version)	1 (3.0 version)
PCI Slot	1	1
Anzahl Memory Steckplätze	4	4
max. Arbeitsspeicher	64GB	64GB
Socket	LGA 1151	LGA 1151












Management Standard	WOL (Wake on LAN)	Yes	Yes
	PXE (Boot from LAN)	Yes	Yes
	Intel vPro Logo	No	No
	Intel AMT	No	No
	Other mgmt (ASF,DASH...)	DASH1.1	DASH1.1
DMTF	Yes	Yes	






Commercial features	TPM support	Yes	Yes
	HDD password support	Yes	Yes
	Chassis Intrusion	Yes (default bundled)	Yes (default bundled)
	Chassis physical lock Kensington & Pad lock	Yes	Yes
	Others (Intel SBA, SRT...)	N/A	Optional
	One Button recovery (OBR)	Yes	N/A
	RAID support	No	Yes
Jumper Setting Label	Yes	Yes	

Selected solution	Dust resistant filter	Yes	Yes
	Internal Speaker	No	Internal Speaker_HX092_s
	2nd COM port cable	No	No
	LPT port cable	No	-





Zertifikate	General	CE, FCC, Nemko(CB,GS), MET	CE, FCC, Nemko(CB,GS), MET
	Eup lot6	Yes	Yes
	Energy star 5.2 compliance	Yes 6.1	Yes 6.1
	EPEAT (selected countries)	Yes	Yes
	HSF	No	No
	GS	Yes	Yes

Garantie	2 Jahre Garantie (Carry-In)	2 Jahre Garantie (Carry-In)
Optionale Garantie	Acer Care Plus 3 Jahre Carry-In (SV.WPCAP.A10) Acer Care Plus 3 Jahre Vor-Ort-Service (nbd) (SV.WPCAP.A09)	Acer Care Plus 3 Jahre Carry-In (SV.WPCAP.A10) Acer Care Plus 3 Jahre Vor-Ort-Service (SV.WPCAP.A09)







				
				
Modellbezeichnung	Veriton M6660G	Veriton M6660G	Veriton M6660G	Veriton M6660G_WS
Formfaktor	30 Liter - Micro Tower	30 Liter - Micro Tower	30 Liter - Micro Tower	30 Liter - Micro Tower
Artikelnummer	DT.VOQUEZ.001	DT.VOQUEZ.002	DT.VOQUEZ.003	DT.VOQUEZ.003
EAN	4713883866316	4713883866385	4713883866385	4713883919135
empf. VP (inkl. MwSt.)	CHF 1.349,90	CHF 1.349,90	CHF 1.349,90	CHF 1.759,90
empf. VP (inkl. MwSt.)	CHF 1.339,90	CHF 1.449,90	CHF 1.449,90	CHF 1.859,90
				
Allgemein	CPU	Intel® Core™ i5-8500 Processor (9M Cache, up to 4.10 GHz) Intel® Turbo Boost Technology 2.0	Intel® Core™ i7-8700 Processor (12 MB Cache, bis zu 4.60 GHz) Intel® Turbo Boost Technology 2.0	Intel® Core™ i7-8700K Processor (12M Cache, up to 4.70 GHz Intel® Turbo Boost Technology 2.0
	Chipset	Intel® Q370 Express Chipset	Intel® Q370 Express Chipset	Intel® Q370 Express Chipset
	Betriebssystem	Windows 10 Pro 64-bit	Windows 10 Pro 64-bit	Windows 10 Pro 64-bit
	Grafikkarte	Intel® UHD-Grafik 630	Intel® UHD-Grafik 630	NVIDIA® QUADRO® P600
	Grafikspeicher	-	-	2 GB GDDR5 / 4x mDP 1.4
	RAM	8GB DDR4	16GB DDR4	16GB DDR4 2666 MHz (2x8GB)
	Festplatte	256G M.2 PCIe SSD entry	256G M.2 PCIe SSD entry + D2000GB 7.2Ks1_4K	512G M.2 PCIe SSD Mainstream + 1000GB 3.5 inch 7200rpm SATA III 4K
	Optisches Laufwerk	16X DVD-Writer SATA	16X DVD-Writer SATA	16X DVD-Writer SATA
	Tastatur	USB/Pro1	USB/Pro1	USB/Pro1
	Maus	USB, Black, common_A MS	USB, Black, common_A MS	USB, Black, common_A MS
	Audio	Speaker (5.1 capable)	Speaker (5.1 capable)	Speaker (5.1 capable)
	Cardreader	3.5" Smart CR 2-in-1	3.5" Smart CR 2-in-1	3.5" Smart CR 2-in-1
	Additional Card	INT9560.NG.WG.NV	INT9560.NG.WG.NV	INT9560.NG.WG.NV
	Additional Card	-/-	-/-	-/-
	LAN	10/100/1000 Mbps	10/100/1000 Mbps	10/100/1000 Mbps
	Accessory 1	Thermal Pad for SSD, Optane	Thermal Pad for SSD, Optane	Thermal Pad for SSD, Optane / Dust Filter, U_chassis
	Accessory 2	Dust Filter, U_chassis+Wlan M.2 Main& AUX Antenna for 25L	Dust Filter, U_chassis+Wlan M.2 Main& AUX Antenna for 25L	Toolless 2nd HDD cage w/ 2 carriers for Huntkey M4 / Wlan M.2 Main& AUX Antenna for 25L
Abmessungen	175(W) x 370(D) x 451(H)	175(W) x 370(D) x 451(H)	175 (W) x 420 (D) x 376,5 (H) mm	
Gewicht	ca. 9kg	ca. 9kg	ca. 12kg	
Netzteil	FR 500W_12V (30L) EuP B7+	FR 500W_12V (30L) EuP B7+	FR 500W_12V (30L) EuP B7+	
Formfaktor	Micro-ATX	Micro-ATX	Micro-ATX	
Management Standard	DVI Ausgang	-	-	0
	HDMI Ausgang / Displayport	1/2	1/2	0
	Displayport	-	-	4x mDP 1.4
	Dual Port	-	-	-
	USB vorne	4 (1x USB 3.1 Gen1 Type C, 1x USB 3.1 Type A, 2x USB 2.0 Type A)	4 (1x USB 3.1 Gen1 Type C, 1x USB 3.1 Type A, 2x USB 2.0 Type A)	4 (1x USB 3.1 Gen1 Type C, 1x USB 3.1 Type A, 2x USB 2.0 Type A)
	USB hinten	6 (2 USB 2.0 + 4 USB 3.1 Gen 1)	6 (2 USB 2.0 + 4 USB 3.1 Gen 1)	6 (2 USB 2.0 + 4 USB 3.1 Gen 1)
	Number of Serial Ports (COM1)	1	1	1
	Number of PS2 ports	2	2	2
	Parallelport	Support by Printer Port Cable	Support by Printer Port Cable	Support by Printer Port Cable
	RAIS	1	1	1
	Audio-Anschlüsse vorne	2	2	2
	Audio-Anschlüsse hinten	3	3	3
	PCIe x16 Slot	2 1 x PCIe16 (3.0 version) 1 x PCIe16 (3.0 version) wired 4x	2 1 x PCIe16 (3.0 version) 1 x PCIe16 (3.0 version) wired 4x	2 1 x PCIe16 (3.0 version) 1 x PCIe16 (3.0 version) wired 4x
PCIe x1 Slot	1 (3.0 version)	1 (3.0 version)	1 (3.0 version)	
PCI Slot	1	1	1	
Available Memory Stackplätze	4	4	4	
max. Arbeitsspeicher	64 GB	64 GB	64 GB	
Socket	LGA 1151	LGA 1151	LGA 1151	
Commercial features	WOL (Wake on LAN)	Yes	Yes	Yes
	PXE (Boot from LAN)	Yes	Yes	Yes
	Intel vPro Logo	Yes	Yes	Yes
	Intel AMT	AMT 12	AMT 12	AMT 12
	Other mgmt (ASF,DASH...)	No	No	No
Selected solution	TPM support	Yes (TPM 2.0 onboard)	Yes (TPM 2.0 onboard)	Yes (TPM 2.0 onboard)
	HDD password support	Yes	Yes	Yes
	Chassis Intrusion	Yes (default bundled)	Yes (default bundled)	Yes (default bundled)
	Chassis physical lock Kensington & Pad lock	Yes	Yes	Yes
	Others (Intel SBA, SRT...)	N/A	N/A	N/A
	One Button recovery (OBR)	Yes	Yes	Yes
Zertifikate	RAID support	RAID 0, 1, 5	RAID 0, 1, 5	RAID 0, 1, 5
	Jumpet-Setting Label	Yes	Yes	Yes
	Dust resistant filter	Yes	Yes	Yes
	Internal Speaker	Yes	Yes	Yes
Optionale Garantie	2nd COM port cable	Yes	Yes	Yes
	1PT port cable	2USB3.0 or 2COM ports (support by Add on card)	2USB3.0 or 2COM ports (support by Add on card)	2USB3.0 or 2COM ports (support by Add on card)
Zertifikate	General	CE, FCC, Nemko (CB,GS), MET	CE, FCC, Nemko (CB,GS), MET	CE, FCC, Nemko (CB,GS), MET
	Eup 106	Yes	Yes	Yes
	Energy star 5.2 compliance	Yes 6.1	Yes 6.1	Yes 6.1
	EPEAT (selected countries)	Yes - up to Gold	Yes - up to Gold	Yes - up to Gold
	HST	No	No	No
	GS	Yes	Yes	Yes
Optionale Garantie	3 Jahre On-Site	3 Jahre On-Site	3 Jahre On-Site	3 Jahre On-Site
	Acet Care Plus 3 Jahre Vor-Ort-Service (SV.WPCAP.A09)	Acet Care Plus 3 Jahre Vor-Ort-Service (SV.WPCAP.A09)	Acet Care Plus 3 Jahre Vor-Ort-Service (SV.WPCAP.A09)	Acet Care Plus 3 Jahre Vor-Ort-Service (SV.WPCAP.A09)

				
Modellbezeichnung	Veriton N6660G (1 Liter)	Veriton N6660G	Veriton N6660G_WS	
Formfaktor	1 Liter	3 Liter	3 Liter	
Artikelnummer	DT.VRAEZ.001	DT.VRCEZ.001	DT.VRCEZ.002	
EAN	47110180261349	471388380925	4713883919142	
empf. VP (inkl. MwSt.)	CHF 927.98	CHF 1.256.713	CHF 1.257.713	
empf. VP (inkl. MwSt.)	CHF 929.95	CHF 1.259.95	CHF 1.259.95	
				
Allgemein	CPU	Intel® Core™ i5-8500T Processor (9M Cache, up to 3.50 GHz)	Intel® Core™ i7-8700T Processor (12M Cache, up to 4.0 GHz)	Intel® Core™ i7-8700 + vPro™ Processor (12M Cache, up to 4.60 GHz)
	Chipset	Intel® Q370 Express Chipset	Intel® Q370 Express Chipset	Intel® Q370 Express Chipset
	Betriebssystem	Windows 10 Pro 64-bit	Windows 10 Pro 64-bit	Windows 10 Pro 64-bit
	Grafikkarte	Intel® UHD Graphics 630	Intel® UHD Graphics 630	Nvidia Quadro P600
	Grafikspeicher			2GB GDDR5 / 4x mDP + mDP2DM LP V4
	RAM	8 GB DDR4-2666 MHz-sock4M	8 GB DDR4-2666 MHz-sock4M	16GB 3D-DIMM DDR4-2666
	Festplatte	256G M.2 PCIe SSD Mainstream	512G M.2 PCIe SSD Mainstream	512 GB M.2 PCIe SSD High End + 1 TB 2.5-inch-5400 RPM, 7 mm high
	Optisches Laufwerk	-	8X DVD-Writer SATA	8X DVD-Writer SATA
	Tastatur	USB/Pro1 KB	USB/Pro1 KB	USB/Pro1 KB
	Maus	USB_black_common_A_MS	USB_black_common_A_MS	USB_black_common_A_MS
	Audio	1L speaker for N_1L_2018	1L speaker for N_1L_2018	1L speaker for N_1L_2018
	Cardreader	-	-	-
	Additional Card	INT9560.NGWG.NV	INT9560.NGWG.NV	INT9560.NGWG.NV
	Additional Card	-/-	-/-	-/-
	LAN	10/100/1000 Mbps	10/100/1000 Mbps	10/100/1000 Mbps
	Accessory 1	WlanM.2 Main& AUX Antenna for 1L vVESA kit for N_2018	WlanM.2 Main& AUX Antenna for 1L vVESA kit for N_2018	WlanM.2 Main& AUX Antenna for 1L vVESA kit for N_2018
	Accessory 2	Option DP for N_2018 /Thermal Pad for Intel 600P SSD for vProbox	Option DP for N_2018 /Thermal Pad for Intel 600P SSD for vProbox	Option DP for N_2018 /Thermal Pad for Intel 600P SSD for vProbox
	Abmessungen	192(W) x 204(D) x 33.2(H)	249(W) x 204(D) x 39.5(H)	192 (W) x 204 (D) x 29.5 (H) mm
	Gewicht	ca. 2.5 Kg	ca. 2.9 Kg	ca. 5 Kg
	Netzteil	90W	135W	135W
Formfaktor	Mini-ITX	Mini-ITX	Mini-ITX	
DVI Ausgang	0	0	0	
HDMI Ausgang / Displayport	onboard max 4096x2160@24Hz/ 1	onboard max 4096x2160@24Hz/ 1	0	
Displayport			4x mDP 1.4	
USB vorne	1 x USB 3.1 Gen1 Type A 1 x USB 3.1 Gen2 Type A 1 x USB 3.1 Gen2 Type C	1 x USB 3.1 Gen1 Type A 1 x USB 3.1 Gen2 Type A 1 x USB 3.1 Gen2 Type C	1 x USB 3.1 Gen1 Type A 1 x USB 3.1 Gen2 Type A 1 x USB 3.1 Gen2 Type C	
USB hinten	4 x USB 3.1 Gen1 Type A	4 x USB 3.1 Gen1 Type A	4 x USB 3.1 Gen1 Type A	
Number of Serial Ports (COM1)	1 (optional)	1 (optional)	1 (optional)	
Number of PCI ports	0	0	0	
Parallelport	Support by Printer Port Cable	Support by Printer Port Cable	Support by Printer Port Cable	
RAIS	1	1	1	
Audio-Anschlüsse vorne	2 (Headset & Microphone)	2 (Headset & Microphone)	2 (Headset & Microphone)	
Audio-Anschlüsse hinten	1 (Combo)	1 (Combo)	1 (Combo)	
PCIe x16 Slot	1 (3.0 version - but usable though extension module only)	1 (3.0 version - but usable though extension module only)	1 (3.0 version - but usable though extension module only)	
PCIe x1 Slot	0 (but PCIe1 can be installed in above PCIe16)	0 (but PCIe1 can be installed in above PCIe16)	0 (but PCIe1 can be installed in above PCIe16)	
PCI Slot	0	0	0	
Available Memory Stackplätze	2	2	2	
max. Arbeitsspeicher	24 GB	24 GB	32 GB	
Socket	LGA 1151	LGA 1151	LGA 1151	
Management Standard	WOL (Wake on LAN)	Yes	Yes	Yes
	PXE (Boot from LAN)	Yes	Yes	Yes
	Intel vPro Logo	Yes	Yes	Yes
	Intel AMT	AMT 11	AMT 11	AMT 12
	Other mgmt (ASF,DASH...)	No	No	No
DNTE	Yes	Yes	Yes	
Commercial features	TPM support	Yes	Yes	TPM v2.0 (Trusted Platform Module)
	HD0 password support	Yes	Yes	Yes
	Chassis Intrusion	Yes (default bundled)	Yes (default bundled)	Yes (default bundled)
	Chassis physical lock Kensington & Pad lock	Yes (default bundled)	Yes (default bundled)	Yes (default bundled)
	Others (Intel SBA, SRT...)	Yes	Yes	Yes
	One Button recovery (OBR)	Yes	Yes	Yes
RAID support	RAID 0, 1	RAID 0, 1	RAID 0, 1	
Impress Setting Label	No	No	No	
Selected solution	Dust resistant filter	No	No	No
	Internal Speaker	Yes	Yes	Yes
	2nd COM port cable	No	No	No
LPT port cable	either one of (1*USB2.0, 1*COM or 1*DSUB or 1*2nd DP or 1xUSB Type C or 1xUSB Type C DC IN)	either one of (1*USB2.0, 1*COM or 1*DSUB or 1*2nd DP or 1xUSB Type C or 1xUSB Type C DC IN)	either one of (1*USB2.0, 1*COM or 1*DSUB or 1*2nd DP or 1xUSB Type C or 1xUSB Type C DC IN)	
Zertifikate	General	CE, FCC, Nemko, MET	CE, FCC, Nemko, MET	CE, FCC, Nemko, MET
	Eup 1026	Yes	Yes	Yes
	Energy star 5.2 compliance	Yes 6.1	Yes 6.1	Yes 6.1
	EPEAT (selected countries)	Yes	Yes	Yes
	HSF	No	No	No
CS	Yes	Yes	Yes	
Garantie	3 Jahre inkl. 1 Jahr On-Site	3 Jahre inkl. 1 Jahr On-Site	3 Jahre inkl. 1 Jahr On-Site	
Optionale Garantie	Acer Care Plus 3 Jahre Vor-Ort-Service (EV.WPCAP.A09)	Acer Care Plus 3 Jahre Vor-Ort-Service (EV.WPCAP.A09)	Acer Care Plus 3 Jahre Vor-Ort-Service (EV.WPCAP.A09)	

Modellbezeichnung	Veriton X6660G	Veriton X6660G	
Formfaktor	9 Liter - xSFF	9 Liter - xSFF	
Artikelnummer	DT.VR1EZ.001	DT.VR1EZ.003	
EAN	4713883885553	4713883899598	
empf. VP (inkl. MwSt.)	€391 1.991,95	€391 1.991,95	
empf. VP (inkl. MwSt.)	€391 1.991,95	€391 1.991,95	
Allgemein	CPU	Intel® Core™ i5-8500 Processor (9M Cache, up to 4.10 GHz) Intel® Turbo Boost Technology 2.0	Intel® Core™ i7-8700 Processor (12 MB SmartCache up to 4.60 GHz) Intel® Turbo Boost Technology 2.0
	Chipset	Intel® Q370 Express Chipset	Intel® Q370 Express Chipset
	Betriebssystem	Windows® 10 Professional	Windows® 10 Professional
	Grafikkarte	Intel® HD Graphics 630	Intel® HD Graphics 630
	Grafikspeicher		
	RAM	8GB DDR4	8GB DDR4
	Festplatte	256GB SSD 2.5" Flash Disk	256G M.2 PCIe SSD Mainstream + 2TB 3.5 inch 7200rpm SATA III 4K
	Optisches Laufwerk	8X DVD-Writer SATA	8X DVD-Writer SATA
	Tastatur	USB/Prot 1 KB	USB/Prot 1 KB
	Maus	USB_black_common_A	USB_black_common_A
	Audio	Speaker (5.1 capable)	Speaker (5.1 capable)
	Cardreader	CR08_SD_Sx	CR08_SD_Sx
	Additional Card	INT9560.NG.WG.NV	INT9560.NG.WG.NV
	Additional Card	-/-	-/-
	LAN	10/100/1000 Mbps	10/100/1000 Mbps
	Accessory 1	Dust Filter, U chassis	Dust Filter, U chassis
	Accessory 2	Wlan M.2 Main6 AUX Antenna for 10L	Wlan M.2 Main6 AUX Antenna for 10L, Terminal Pad for SSD Optane
	Abmessungen	102 (W) x 305,80 (D) x 330(H)	102 (W) x 305,80 (D) x 330(H)
	Gewicht	ca. 5 kg	ca. 5 kg
	Netzteil	FR 180W_12V(TFX) 82+	FR 180W_12V(TFX) 82+
Formfaktor	Micro-ATX front IO onboard	Micro-ATX front IO onboard	
DVI Ausgang	0	0	
HDMI Ausgang / Displayport	1 (HDMI: 4096*2160 @24Hz (support 2560*1440 @60Hz))	1 (HDMI: 4096*2160 @24Hz (support 2560*1440 @60Hz))	
Displayport	2	2	
Dsub Port	1 (VGA: 1920*1080 @60Hz)	1 (VGA: 1920*1080 @60Hz)	
USB vorne	6(2 USB 3.1 Gen 2 Type C+4 USB 3.1 Gen 2 Type A)	6(2 USB 3.1 Gen 2 Type C+4 USB 3.1 Gen 2 Type A)	
USB hinten	6(4 USB 3.1 Gen1 Type A+2 USB 2.0 Type A)	6(4 USB 3.1 Gen1 Type A+2 USB 2.0 Type A)	
Number of Serial Ports (COM1)	1	1	
Number of PS2 ports	2	2	
Parallelport	Support by Printer Port Cable	Support by Printer Port Cable	
BIAS	1	1	
Audio-Anschlüsse vorne	2	2	
Audio-Anschlüsse hinten	3	3	
PCIe x16 Slot	1 x PCIe (16 (3.0 version)) 1 x PCIe (16 (3.0 version)) wired 4x	1 x PCIe (16 (3.0 version)) 1 x PCIe (16 (3.0 version)) wired 4x	
PCIe x1 Slot	1 (3.0 version)	1 (3.0 version)	
PCI Slot	1	1	
Anzahl Memory Steckplätze	4	4	
max. Arbeitsspeicher	64GB	64GB	
Socket	LGA 1151	LGA 1151	
Management Standard	WOL (Wake on LAN)	Yes	Yes
	PXE (Boot From LAN)	Yes	Yes
	Intel vPro Logo	Yes	Yes
	Intel AMT	AMT 12.0	AMT 12.0
	Other mgmt (ASF,DASH...)	No	No
DMTF	Yes	Yes	
Commercial Features	TPM support	Yes	Yes
	HD password support	Yes	Yes
	Chassis Intrusion	Yes (default bundled)	Yes (default bundled)
	Chassis physical lock Kensington & Pad lock	Yes	Yes
	Others (Intel SBA, SRT...)	Optional	Optional
	Drive Buttons recovery (DBR)	N/A	N/A
RAID support	Yes	Yes	
Jumper Setting Label	Yes	Yes	
Selected solution	Dust resistant Filter	Yes	Yes
	Internal Speaker	Internal Speaker_HK092_s	Internal Speaker_HK092_s
	2nd COM port cable	No	No
	LPT port cable	-	-
Zertifizate	General	CE,FCC,Nemko(CB,GS),MET	CE,FCC,Nemko(CB,GS),MET
	Eup lab6	Yes	Yes
	Energy star 5.2 compliance	Yes 6.1	Yes 6.1
	ENERG (selected countries)	Yes	Yes
	HSF	No	No
	CS	Yes	Yes
Garantie	3 Jahre inkl. 1 Jahr On-Site	3 Jahre inkl. 1 Jahr On-Site	
Optionale Garantie	Acer Care Plus 3 Jahre Vor-Ort-Service (SV.WPCAP.A09)	Acer Care Plus 3 Jahre Vor-Ort-Service (SV.WPCAP.A09)	

	 <small>23.8"</small> <small>1920 x 1080</small> <small>FULL HD</small> <small>IPS</small>
	 <small>100%</small> <small>GELD ZURÜCK</small>
Modellbezeichnung	Veriton Z4860G
Formfaktor	All in One- inkl. Multifunktionsstand
Artikelnummer	DQ.VRZEZ.001
EAN	4713883971225
empf. VP (exkl. MwSt.)	CHF 1'295.26
empf. VP (inkl. MwSt.)	CHF 1'395.00
	

Allgemein	CPU	Intel® Core™ i5-8400 Processor (9M Cache, up to 4.00 GHz)
	Chipsatz	Intel® B360 Chipset
	Betriebssystem	Windows® 10 Professional
	Grafikkarte	Intel® UHD Graphics 630
	Grafikspeicher	-
	RAM	8GB DDR4 2400 MHz
	Festplatte	256 GB M.2 2280 PCI-E SSD
	Optisches Laufwerk	8X DVD-Writer SATA
	Tastatur	USB/Pro2
	Maus	USB_black_common_A
	Audio	Integrated high-definition sound Built-in stereo speakers
	Cardreader	Ja
	Additional Card	INT9560.NGWG.NV
	Additional Card	Mini TPM2.0 Module
	Wireless LAN	10/100/1000 Mbps
	Accessory 1	Intrusion Alarm for commercial AIO
	Accessory 2	- / - / -
	Monitor	23,8" Full HD IPS (1920 x 1080) Brightness (cd/m2): 250 nits; ohne Touch
Gewicht	ca. 12.5 kg	
Netzteil	135W	
Formfaktor	All in One	
DVI Ausgang	0	
HDMI Ausgang	1 (INPUT)	
Displayport	1 (OUTPUT)	
Dsub Port	1 (OUTPUT)	
USB vorne	1x USB 3.1 Gen 2 Type A; 1x USB 3.1 Type C	
USB hinten	2x USB 3.1 Gen 2 Type A; 2x USB 3.1 Gen B Type A	
Number of Serial Ports (COM1)	1 (optional)	
Number of PS2 ports	0	
Parallelport	0	
RJ45	1	
Audio-Anschlüsse vorne	1	
Audio-Anschlüsse hinten	1	
PCIe x16 Slot	1	
PCIe x1 Slot	-	
PCI Slot	0	
Anzahl Memory Steckplätze	2	
max. Arbeitsspeicher	32GB	
Sockel	LGA1151	
Management Standard	WOL (Wake on LAN)	Yes
	PXE (Boot from LAN)	-
	Intel vPro Logo	No
	Intel AMT	No
	Other mgmt (ASF,DASH...)	DASH
	DMTF	-
Commercial features	TPM support	TPM 2.0 (default)
	HDD password support	Yes
	Chassis Intrusion	Yes (Option)
	Chassis physical lock Kensington & Pad lock	Kensington, Anti-theft screws(Option)
	Others (Intel SBA, SRT...)	- Auto Rotating Display (G-Sensor) - 180° Webcam
	One Button recovery (OBR)	-
	RAID support	No
	Jumper Setting Label	-
Selected solution	Dust resistant filter	No
	Internal Speaker	2x2W
	2nd COM port cable	-
	LPT port cable	-
Zertifikate	General	CE, FCC, Nemko(CB,GS), MET,UL,CCC,BSMI,PSB
	Eup lot6	-
	Energy star 5.2 compliance	-
	EPEAT (selected countries)	-
	HSF	-
	GS	Yes
Garantie		2 Jahre Garantie (Carry-In)
Optionale Garantie		Acer Care Plus 3 Jahre Carry-In (SV.WPAAP.A02) Acer Care Plus 3 Jahre Vor-Ort-Service (SV.WPAAP.A04)

	 Wall mountable  Upgradable		
Modellbezeichnung		Veriton EN76G Revo Cube Pro	
Artikelnummer		DT.VRPEG.002	
EAN		4713883624527	
empf. VP (exkl. MwSt.)		CHF	333.33
empf. VP (inkl. MwSt.)		CHF	359.00
			

Allgemein	CPU	Intel® Core™ i5-7200U Processor 3M Cache, up to 3.10 GHz
	Chipsatz	-
	Betriebssystem	No Operating System
	Grafikkarte	Intel® HD Graphics 620
	Grafikspeicher	-
	RAM	0 GB DDR4 2400 MHz soDIMM Up to 16 GB of Dual-channel DDR4 2133 MHz
	Festplatte	No Hard disk drive inside
	Optisches Laufwerk	-
	Tastatur	-
	Maus	-
	Audio	Integrated high-definition sound
	Cardreader	-
	Additional Card	M.2 slot (for SSD): 1
	Additional Card	M.2 slot (for WLAN): 1
	Wireless LAN	-
	Abmessungen	116.6 (W) x 112 (D) x 67 (H) mm
Netzteil	65 Watt	
Ports	DVI Ausgang	0
	HDMI Ausgang	1
	Displayport	Mini DisplayPort (DP) port
	USB vorne	1x USB 3.1 Gen 2 (up to 10 Gpbs)
	USB hinten	2x USB 3.1 Gen 1
	RJ45	1
	Audio-Anschlüsse vorne	1
	Audio-Anschlüsse hinten	-
	Anzahl Memory Steckplätze	2
	max. Arbeitsspeicher	16GB
Management Standard	WOL (Wake on LAN)	Ja
	PXE (Boot from LAN)	Ja
Zertifikate	Kensington Lock	Ja
	Energy star	Ja
Garantie		2 Jahre Garantie (Carry-In)

Acer Desktop

Preisliste
gültig ab Mai 2019

acer
care plus

Acer Care Plus Desktop

Bezeichnung	Bestellnummer EAN	MOQ	Status	empf. VP inkl. MwSt CHF	empf. VP exkl. MwSt CHF
-------------	----------------------	-----	--------	-------------------------------	-------------------------------

Acer Care Plus Garantieverlängerungen

VIRTUAL BOOKLET VERSION



acer
care plus

Veriton M/N/L/X/S 2xxx / 4xxx / 6xxx Modelle

Acer Care Plus 3 Jahre Carry-In Schweizweite Serviceverlängerung für Veriton M/N/L/X/S 2xxx / 4xxx / 6xxx Modelle	SV.WPCAP.A10 4712842940692	-	☺	59.00	54.78
Acer Care Plus 3 Jahre Vor-Ort-Service (nbd) Schweizweite Serviceverlängerung für Veriton M/N/L/X/S 2xxx / 4xxx / 6xxx Modelle	SV.WPCAP.A09 4712842940678	-	☺	99.00	91.92

Veriton Zxxxx All-in-One Modelle

Acer Care Plus 3 Jahre Carry-In Schweizweite Serviceverlängerung für Veriton Zxxxx All-In-One	SV.WPAAP.A02 4712842940807	-	↔	59.00	54.78
Acer Care Plus 3 Jahre Vor-Ort-Service (nbd) Schweizweite Serviceverlängerung für Veriton Zxxxx All-In-One	SV.WPAAP.A04 4712842943785	-	↔	99.00	91.92

DESKTOP CONSUMER

Acer Care Plus 3 Jahre Carry-In Schweizweite Serviceverlängerung für Acer Consumer Desktop	SV.WPCAP.A11 4712842940715	-	☺	59.00	54.78
---	-------------------------------	---	---	-------	-------

DESKTOP GAMING

Acer Care Plus 3 Jahre Carry-In Schweizweite Serviceverlängerung für Acer Gaming Desktop	SV.WDGAP.A01 4712842941767	-	☺	99.00	91.92
---	-------------------------------	---	---	-------	-------